

Внимание! Устройство iComrFK выводит информацию на приборную панель через навигационные подсказки.

Если у вас не было с завода навигации, то необходимо активировать ее в приборной панели.

Нужно UCDS/ELS27/ELM327hs+ms + forscan и т.п.

Если возникли трудности пишите в телегу @dizz74 , нужен будет VIN

В Центральной конфигурации CCC(Asbuilt):

172 пункт – значение 9(пункт with Nav).

Пример UCDS


ID	Name	Value	Hex
163	Lap belt pretensioner front - N/A	Not Recognized	00
164	Front crash sensing system - N/A	Not Recognized	00
165	Adaptive front ventilation - N/A	Not Recognized	00
166	Front door warning lamps	Less Front Door Warning Lamps	01
167	Electronic park brake stall apply	Not Recognized	00
168	Electronic park brake key out apply	Not Recognized	00
169	Electronic park brake drive away release	Not Recognized	00
170	Battery saver time	Not Recognized	00
171	Heated steering wheel - N/A	Not Recognized	00
172	FRONT CENTRE MOUNTED DISPLAY	With Display - Touchscreen, Colour-TFT, DM8 with Nav	09
173	Rear entertainment system	Not Recognized	00
174	My connected world - N/A	Not Recognized	00
175	Speech control language	Not Recognized	00
176	Key code	Not Recognized	00
177	Self opening boot / tailgate	Self Opening Tailgate	03
178	Shift indication	With Shift Indication	02

Info: File successfully opened correct Asbuilt file

И в Direct Config IPC в 2 двух местах:

Панель KUGA2(17+)

DE03: пункт Navigation repeater



DE03 для Forscan и др.:

Enter data in HEX:
01A101E4

Byte #:	1	2	3	4
Byte HEX:	01	A1	01	E4
Byte BIN:	00000001	10100001	00000001	11100100
BIT #:	0..7	8..15	16..23	24..31

01A111E4


Byte #:	1	2	3	4
Byte HEX:	01	A1	11	E4
Byte BIN:	00000001	10100001	00010001	11100100
BIT #:	0..7	8..15	16..23	24..31

A vertical arrow points from the '16..23' bit range in the first table to the '16..23' bit range in the second table, indicating the bit change from 00000001 to 00010001.

DE03

DE05: Пункт navInfo

UCDS:



DE05 Для Форсеп и др.:

